

Super Bee™ 210B

Super Bee™ 210B is a highly concentrated, general purpose cleaner specifically designed for exterior and interior aircraft surfaces.

Conforms To

- Airbus
 - CML 11-001
 - Application Code: 08ABC1
 - Product Code: 860100
- AMS
 - AMS 1526C
- Boeing
 - D6-17487 (Rev. R)
 - DPM 5216-1

Benefits

- Excellent cleaner.
- Rinses off easily without streaking even after drying on the surface.
- Good hard water tolerance.
- Concentrated to minimize shipping container and warehouse costs.
- Safe on aluminum, magnesium, high strength steel and other common aircraft structural metals, and good quality paint and acrylic plastic.
- Does not contain any materials considered toxic.
- Surfactants biodegradable

Properties

- A water-thin, aqua blue liquid
- Pleasant odor

Notes Prior to Handling

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.

Use Procedure

Removal of Light to Heavy Soils

1. Dilute 1-part Super Bee™ 210B with 5 to 10 parts water for light soils. For moderate soils, dilute 1-part cleaner with 1 to 5 parts water. For heavy soils, use Super Bee™ 210B as received
2. Apply with non-atomizing spray equipment, brushes or mops.
3. Allow cleaner to penetrate soil, then agitate lightly with brushes or mops.
4. Rinse off thoroughly with running water.

Removal of Heavy Greasy Soils

1. Dilute 1-part Super Bee™ 210B with 1 to 3 parts water (1:2 usually satisfactory). Vigorously mix 1-part cleaner solution with 2 to 5 parts high flash aliphatic petroleum solvent (1:2 usually satisfactory) to form a smooth emulsion. Add more solvent to thicken emulsion and more cleaner solution for a thinner emulsion.
2. Apply emulsion using mops brushes or non-atomizing spray equipment.
3. Allow to penetrate soil, then agitate with mops or brushes. Rinse off thoroughly with flowing water.

Cleaning Upholstery, Rugs and Other Soft Surfaces

1. Dilute 1-part Super Bee™ 210B with 5 to 10 parts water (1:8 usually satisfactory).
2. Wipe soil surface with cloths or sponge wet with cleaner or apply as a foam using a foam generator.
3. Lightly agitate heavily soiled areas with a stiff bristle brush.
4. Wipe away excess cleaner and soil with clean, dry cloth or vacuum dry with machine designed to accept liquids.

Steam Cleaning

1. Mix Super Bee™ 210B 2% to 8% (by vol) with water in concentrate holding tank and operate machine.

Cleaning of Heavy Greasy Soils with Cee Bee® Major Clean

1. Dilute 1-part Super Bee™ 210B with 1-part Cee Bee® Major Clean to 18 parts water.
2. Vigorously mix the solution and apply the emulsion using mops brushes or non-atomizing spray equipment.
3. Allow to penetrate soil, then agitate with mops or brushes.
4. Rinse off thoroughly with flowing water.

! Caution

- When cleaning acrylic plastic, such as aircraft windows, aromatic content of the solvents should be kept below 5% to avoid possible stress crazing.

! Safety, Handling, and Precautions

- Skin or eye contact can cause irritation. Chemical goggles or face shield and chemical-resistant gloves are recommended.
- In case of accidental contact, flush area thoroughly with water. If irritation persists, seek medical attention.
- Do not take internally.

Contact Us

United States

McGean

Phone: +1-216-441-4900

Fax: +1-216-441-1377

Email: Aviation@McGean.com

United Kingdom

McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563

Fax: +44-1902-457443

Email: Aviation@McGean-Rohco.co.uk

Singapore

McGean Singapore

Phone: +65-6863-2296

Fax: +65-6863-2297

Email: Info@ceebee.com.sg

China

Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689

Email: Info@ceebee.com.cn

Super Bee™ 210B is a highly concentrated, general purpose cleaner specifically designed for exterior and interior aircraft surfaces.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM. USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 06/2021 (Rev. A2)