

## Super Bee™ 262 Clear Gel

**Super Bee™ 262 Clear Gel** is a heavy duty, highly concentrated thixotropic gel specifically designed for cleaning aircraft exterior surfaces. It can be used for both wet and dry wash application as well as to remove light corrosion inhibiting compounds, CIC's.

### **Conforms To**

- AMS
  - AMS 1523B
  - AMS 1526C
  - AMS 1530C
  - AMS 1533C
  - AMS 1550C
- Boeing
  - BSS 7432

### **Benefits**

- Very effectively penetrates and removes heavy greasy soils.
- Clings to vertical and overhead surfaces for maximum cleaning action.
- Rinses off easily without streaking even after drying on the surface.
- Safe on aluminum, magnesium, high strength steel and other common aircraft structural metals, good quality paint and acrylic plastic.
- Does not contain organic solvents or any material considered toxic by state or federal regulations.

### **Properties**

- Clear, thixotropic liquid
- Mild lemon scent

### **Notes Prior to Handling**

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.

## Use Procedure

---

### Recommended Dilution Ratios

Heavy greasy soils & light CIC: Use Super Bee™ 262 Clear Gel undiluted. Will cling to surfaces.  
Moderate to heavy soils: Mix 1-part Super Bee™ 262 Clear Gel with 2 to 10 parts water.  
Light to moderate soils: Mix 1-part Super Bee™ 262 Clear Gel with 10 to 20 parts water.

### Use Procedure Including Water Rinse

1. Apply Super Bee™ 262 Clear Gel with mops, brushes or non-atomizing spray equipment. Start at the bottom of the surface to be cleaned and work upward to avoid streaking.
2. Allow the cleaner to dwell at least 5 minutes until soils are penetrated, then agitate surface with a brush or mop.
3. Rinse thoroughly with high pressure water, starting at the top and working downward. Best results are obtained if the water is approximately 140°F (60°C).

### Use Procedure Without Water Rinse

1. Saturate rags or mops with Super Bee™ 262 Clear Gel and wipe the surface to loosen the soils.
2. Remove loosened soils with clean, dry rags or mops, turning frequently to avoid re-deposition of soils.

## Safety, Handling, and Precautions

---

- Irritating to eyes and skin. Avoid contact.
- In case of accidental contact, flush thoroughly with water. If irritation persists, seek medical attention.
- Do not take internally.

## Contact Us

---

### United States

#### McGean

Phone: +1-216-441-4900

Fax: +1-216-441-1377

Email: [Aviation@McGean.com](mailto:Aviation@McGean.com)

### United Kingdom

#### McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563

Fax: +44-1902-457443

Email: [Aviation@McGean-Rohco.co.uk](mailto:Aviation@McGean-Rohco.co.uk)

---

### Singapore

#### McGean Singapore

Phone: +65-6863-2296

Fax: +65-6863-2297

Email: [Info@ceebee.com.sg](mailto:Info@ceebee.com.sg)

### China

#### Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689

Email: [Info@ceebee.com.cn](mailto:Info@ceebee.com.cn)

**Super Bee™ 262 Clear Gel** is a heavy duty, highly concentrated thixotropic gel specifically designed for cleaning aircraft exterior surfaces. It can be used for both wet and dry wash application as well as to remove light corrosion inhibiting compounds, CIC's.

**CAUTION:** BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM. USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 06/2021