

## **Product Data Sheet**

## Cee-Bee® A-951

**Cee-Bee® A-951** is a product for removing corrosion inhibiting compounds and temporary coatings. Cee-Bee® A-951 also removes grease and shop soils.



## **Conforms To**

- Airbus
  - o CML 11-016
  - o CML 862400
- Boeing
  - o BAC 5750
  - o D6-17487 (Rev. P)
- Rolls Royce
  - o OMat 1/267C



### **Benefits**

- Slow evaporation rate. Evaporates completely leaving no solvent residues.
- Excellent solvency for temporary coatings, as well as for grease and greasy soils.
- Safe for use on all aircraft structural metals including mild steel, high strength steel, stainless steel, aluminum, magnesium and copper.
- Safe for use on most painted surfaces.
- Low vapor toxicity. Safer than methyl ethyl ketone (MEK), toluene, xylene, or petroleum hydrocarbon solvents.
- Contains no phenolics, cyanides, nitrites, heavy metal salts or hazardous solvents.
  This product does not contain methylene chloride or any other halogenated solvent.



## **Properties**

- Water thin
- Colorless liquid

Mild solvent odor

# **Notes Prior to Handling**

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.

www.Cee-Bee.com 1



### **Product Data Sheet**



## **Use Procedure**

- 1. Wipe surface clean, using clean cloths or nylon fleece scrubbing pads wet with cleaner. Turn frequently to prevent redeposition of soil or residues on cleaned surface.
- 2. Wipe with clean, dry cloths. If surface is to be air dried, all residual soil must be wiped away.



## Safety, Handling, and Precautions

- Contains concentrated solvents. Avoid eye and skin contact. Use rubber gloves and face shield or goggles. Some form of eye protection is always absolutely essential.
- Use with adequate ventilation. Do not use in confined areas.
- Do not take internally.
- For contact with eyes or skin, flood with water. If eye irritation persists, seek medical attention.
- For inhalation, remove to fresh air.
- Store containers in a cool dry area. Open containers slowly to prevent any spewing of contents. Keep containers tightly sealed. Before using on plastic electrical insulation or a painted surface that might be damaged, check effect on samples.

www.Cee-Bee.com 2



### **Product Data Sheet**

### **Contact Us**

#### **United States**

McGean

Phone: +1-216-441-4900 Fax: +1-216-441-1377

Email: Aviation@McGean.com

### **United Kingdom**

McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563 Fax: +44-1902-457443

Email: Aviation@McGean-Rohco.co.uk

### **Singapore**

**McGean Singapore** 

Phone: +65-6863-2296 Fax: +65-6863-2297

Email: Info@ceebee.com.sg

#### China

Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689 Email: <a href="mailto:lnfo@ceebee.com.cn">lnfo@ceebee.com.cn</a>

**Cee-Bee® A-951** is an alternate product for removing corrosion inhibiting compounds and temporary coatings. Cee-Bee® A-951 also removes grease and shop soils.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM, USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 06/2021 (Rev. A2)

www.Cee-Bee.com 3