

Cee-Bee® R-256

Cee-Bee® R-256 is a high-performing paint stripper for removing urethanes, epoxies, primers and enamels.

Conforms To

- AMS
 - AMS 1375
- Boeing
 - D6-17487 (Rev. P)
- Douglas
 - CSD-1, Type III
- Honeywell
 - SPM 32-49-01
- Military
 - MIL-R-81294
 - Type I, Class 1 & 3 (QPL)
 - Type II, Class 1 & 3 (QPL)
 - Type IV, Class 1 & 3 (QPL)
 - T.O.1-1-8

Benefits

- Rapidly removes chemically resistant coatings, such as epoxy and polyurethane.
- Thixotropic. Clings to vertical and inclined surfaces.
- Contains evaporation retardants to minimize loss of active solvents.
- Safe for use on all common structural metals including mild, stainless and high strength steels, aluminum and aluminum alloys, magnesium and magnesium alloys, copper and copper alloys, zinc and zinc alloys.

Properties

- Viscous, opaque, yellow liquid
- Solvent odor

Notes Prior to Handling

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.

Use Procedure

1. For optimum stripping, the surface should be dry and less than 80°F (26°C).
2. Apply a thin, uniform film of stripper with non-atomizing spray, brush or roller. Allow to dwell until coating is penetrated and loosened. For questions regarding a suitable spray nozzle, please contact your Cee-Bee[®] representative.
3. Agitate surface with a stiff bristle brush.
4. Reapply. When stripping action is complete, squeegee or scrape loosened coating and spent stripper from the surface for disposal.
5. Rinse surface with high pressure water.

Safety, Handling, and Precautions

- **WARNING!** Contains chlorinated solvents and phenol.
- Rapidly absorbed through the skin. Prolonged exposure could be fatal.
- Avoid eye and skin contact.
- Contact may not be immediately apparent, therefore, wear protective clothing, such as face shields or goggles, gloves, aprons, boots, etc.
- Provide adequate ventilation.
- Do not take internally.
- For accidental contact, immediately flood area with water for at least 30 minutes. Seek prompt medical attention.
- Open containers slowly to avoid spewing of contents.

Contact Us

United States

McGean

Phone: +1-216-441-4900

Fax: +1-216-441-1377

Email: Aviation@McGean.com

United Kingdom

McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563

Fax: +44-1902-457443

Email: Aviation@McGean-Rohco.co.uk

Singapore

McGean Singapore

Phone: +65-6863-2296

Fax: +65-6863-2297

Email: Info@ceebee.com.sg

China

Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689

Email: Info@ceebee.com.cn

Cee-Bee® R-256 is a high-performing paint stripper for removing urethanes, epoxies, primers and enamels.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM. USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 06/2021 (Rev. A2)