

Super Bee™ 262 Gel

Super Bee™ 262 Gel is a non-solvent, highly-concentrated gel specifically designed for degreasing turbine engines prior to tear down and for exterior aircraft cleaning.

Conforms To

- Airbus
- AMS
- ARP
- Boeing
- CFM
- Douglas
- General Electric
- Pratt & Whitney
- Rolls Royce
- Westland Helicopters

Full Listing on Page 2

Benefits

- Very effectively penetrates and removes heavy greasy soils.
- Clings to vertical and overhead surfaces for maximum cleaning action.
- Safe on aluminum, magnesium, high strength steel and other common aircraft structural metals, good quality paint and acrylic plastic.
- Does not contain organic solvents or any material considered toxic by state or federal regulations.
- Surfactants biodegradable.

Properties

- Blue gel
- Pleasant odor

Notes Prior to Handling

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.

Conforms To (Continued)

- Airbus
 - CML 11-001
 - CML 11-017
 - CML 11-033
 - Application Code: 08ABC1
 - Application Code: 08ACA1
 - Application Code: 08CJA1
 - Product Code: 860100
- AMS
 - AMS 1523A
 - AMS 1526C
 - AMS 1550A
- ARP
 - ARP 1755B
- Boeing
 - BSS 7432
 - D6-17487 Rev. L
- CFM
 - CP. 2693
- Douglas
 - CSD-1
- General Electric
 - C04-211
- Pratt & Whitney
 - SPMC 159
 - SPOP 1
- Rolls Royce
 - OMAT 1/264C
- Westland Helicopters

Use Procedure

Degreasing Engine Exteriors

1. Mask all openings to the engine interior (the inlet, exhaust, fuel and oil lines left open, bleeders, breather tubes and open electrical connectors.)
2. Spray on Super Bee™ 262 Gel and allow to dwell 10 to 20 minutes.
3. Flush with warm or hot water.

Exterior Cleaning

1. For heavily contaminated surfaces, apply Super Bee™ 262 as received with mops, brushes or non-atomizing spray. Start at the bottom of the surface to be cleaned and work upward.
 - a. **Note:** Super Bee™ 262 Gel, diluted with up to 20 parts water, can be used as a general-purpose cleaner for light to moderate soils.
2. Rinse thoroughly with high pressure water, starting at the top and working downward. Best results are obtained if the water is approximately 140°F (60°C).



Safety, Handling, and Precautions

- Irritating to eyes and skin. Avoid contact.
- In case of accidental contact, flush thoroughly with water. If irritation persists, seek medical attention

Contact Us

United States

McGean

Phone: +1-216-441-4900

Fax: +1-216-441-1377

Email: Aviation@McGean.com

United Kingdom

McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563

Fax: +44-1902-457443

Email: Aviation@McGean-Rohco.co.uk

Singapore

McGean Singapore

Phone: +65-6863-2296

Fax: +65-6863-2297

Email: Info@ceebee.com.sg

China

Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689

Email: Info@ceebee.com.cn

Super Bee™ 262 Gel is a non-solvent, highly-concentrated gel specifically designed for degreasing turbine engines prior to tear down and for exterior aircraft cleaning.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM. USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 02/2023 (Rev. A3)