

## Eldorado PR-3133

**Eldorado PR-3133** is a light blue-colored, viscous, ammonia-activated, benzyl alcohol emulsion type paint remover, designed for general purpose removal of enamel, lacquer, polysulfide primer, epoxy and polyurethane from metal surfaces.

### **Conforms To**

- AMS
  - AMS 1375
- Grumman
  - GS115VD1
- Military
  - T.O. 1-1-8
  - TT-R-2918 (Types I & II)

McGean® recommends checking the most recent specifications for updated information.

### **Benefits**

- Dual Use – one product removes both topcoat and polysulfide primers.
- Powerful – effectively removes (bond-releases) paint films and digests polysulfides.
- Environmentally Compliant – contains no hazardous air pollutants (HAP), phenols, chromates, heavy metals, or chlorinated solvents.
- Viscous, alkaline emulsion that improves dwell time.
- Safe on aluminum, magnesium, steel, high-strength steel, titanium and other structural metals.
- Free-rinsing, minimal paint residues remain on surface.

### **Properties**

- Light blue colored

### **Notes Prior to Handling**

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.

## Use Procedure

---

Eldorado PR-3133 is ready for use, as supplied. Surface must be clean and free of water. Apply a uniform, moderately thick coating by spray, mop, or brush. Dwell time is dependent upon temperature and airflow but expect about 2 to 4 hours for initial blistering, with a maximum of 24 hours. Keep the surface wet until paint is blistered and loose from the surface. Squeegee or wipe material from surface, or agitate loosened residue with brushing, and reapply fresh stripper. Agitation assists in removal of polysulfide.

Eldorado PR-3133 is ineffective against resistant primers, such as BMS-10-11 and Boegel primed systems.

**Note:** Do not use in confined spaces. Use with adequate ventilation.

## Safety, Handling, and Precautions

---

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.

## Contact Us

---

### United States

**McGean**

Phone: +1-216-441-4900

Fax: +1-216-441-1377

Email: [Aviation@McGean.com](mailto:Aviation@McGean.com)

### United Kingdom

**McGean-Rohco (UK) Ltd.**

Phone: +44-1902-456563

Fax: +44-1902-457443

Email: [Aviation@McGean-Rohco.co.uk](mailto:Aviation@McGean-Rohco.co.uk)

---

### Singapore

**McGean Singapore**

Phone: +65-6863-2296

Fax: +65-6863-2297

Email: [Info@ceebee.com.sg](mailto:Info@ceebee.com.sg)

### China

**Cee-Bee Aviation Materials (Xiamen) Co. Ltd.**

Phone: +86-592-551-3689

Email: [Info@ceebee.com.cn](mailto:Info@ceebee.com.cn)

**Eldorado PR-3133** is a light blue-colored, viscous, ammonia-activated, benzyl alcohol emulsion type paint remover, designed for general purpose removal of enamel, lacquer, polysulfide primer, epoxy and polyurethane from metal surfaces.

**CAUTION:** Before using any of these products, you must become completely familiar with the safety and hazard information contained in our safety data sheets regarding these products. McGean-Rohco, Inc. (the seller) presents the information contained herein without warranty and disclaims any liability from its use or misuse. Seller recommends use of the information Seller's products solely in commercial processes which are specified by Seller and which do not violate any third party patent rights or any laws or regulations. The seller makes no warranties, express or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose except as expressly stated in the seller's sales contract or sales acknowledgement form.



Revision: A2 (5/2025)