

Product Data Sheet

Cee-Bee® F-19

Cee-Bee® F-19 is a neutral, non-flammable, bubble fluid for detecting leaks in high and low pressure oxygen, and other gas, systems.



Conforms To

- Lockheed
 - o EPS 31.211
- Military
 - o MIL-PRF-25567E
 - Type 1



Benefits

- A convenient and effective leak detecting method.
- Leak areas easily located.
- Compatible with oxygen.
- Safe on most metals, including aluminum, steel and copper.
- Safe on good quality paint and most plastics.
- Surfactants biodegradable.



Properties

Water-white to amber liquid

Biodegradable

ļ

Notes Prior to Handling

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.

www.Cee-Bee.com 1



Product Data Sheet



Use Procedure

- 1. Apply a thin layer of bubble fluid by brush or from tip of plastic squeeze bottle to all fittings, connections and check valves. Leaks can be readily located by the formation of bubbles where the oxygen is escaping.
- 2. After inspection is complete, all bubble fluid must be completely removed from the surface. Thoroughly wipe surface with clean, damp cloths or rinse off with water.



Safety, Handling, and Precautions

- Avoid eye contact and prolonged skin contact. May cause irritation.
- Do not take internally.
- In case of accidental contact with eyes, flood with water. If irritation persists, seek medical attention.

www.Cee-Bee.com



Product Data Sheet

Contact Us

United States

McGean

Phone: +1-216-441-4900 Fax: +1-216-441-1377

Email: Aviation@McGean.com

United Kingdom

McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563 Fax: +44-1902-457443

Email: Aviation@McGean-Rohco.co.uk

Singapore

McGean Singapore

Phone: +65-6863-2296 Fax: +65-6863-2297

Email: Info@ceebee.com.sg

China

Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689 Email: <u>Info@ceebee.com.cn</u>

Cee-Bee® F-19 is a neutral, non-flammable, bubble fluid for detecting leaks in high and low pressure oxygen, and other gas, systems.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM, USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 06/2021 (Rev. A2)

www.Cee-Bee.com 3